


MS 40
MS 40
MS 40
MS 40

MS 40

MS 40

MS 40

MS 40



MS 40

MS 40

MS 40


MS 40
MS 40
MS 40
MS 40

MS 40

MS 40

MS 40

MS 40



MS 40

MS 40


MS 40

MS 40
MS 40
MS 40
MS 40

MS 40

MS 40

MS 40



MS 40

MS 40

MS 40



MS 40


MS 40
MS 40
MS 40
MS 40

MS 40

MS 40

MS 40


MS 40






MS 40

MS 40

MS 40



1
2
3
4
5





1
2
3

MS 40

MS 40

MS 40

MS 40



MS 40
MS 40

MS 40
MS 40

MS 40

MS 40

MS 40






MS 40 L

MS 40

MS 40

MS 40

MS 40

MS 40 ⁺  (Light)	MS 40 ⁺ B (Basic)	MS 40 ⁺ H (Heavy)	MS 40 ⁺ U (Ultra)	MS 40 ⁺ BC (Basic Closed)	MS 40 ⁺ HC (Heavy Closed)
 40x40 40x80	 40x40 40x80 80x80	 40x40 40x80 80x80	 80x 80 80x120 80x160	 40x40 40x80 80x80	 40x40 40x80 80x80
Offene Profile				Geschlossene Profile	


MS 40

MS 40


MS 40

MS 40


MS 40




MS 40




MS 40



MS 40



MS 40




MS 40

MS 40


MS 40

MS 40


MS 40




MS 40



MS 40



MS 40



MS 40 MS 40
MS 40 L

MS 40



/

	 m	Art-Nr		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 kN	
MS 40 										
MS 40 										

MS 40 MS 40
MS 40 B

MS 40



/

	 m	Art.-Nr.		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 kN	
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										

MS 40 MS 40
MS 40 B

MS 40


	 m	Art-Nr		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 kN	
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										

MS 40

MS 40
MS 40 B

MS 40




	 m	Art.-Nr.		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 KN	
MS 40 										
MS 40 										
MS 40 										
MS 40 										
										
MS 40 										

MS 40



MS 40
MS 40 B MS 40

MS 40 0x80 / 90°


MS 40 0x40 / 90°




MS 40 R80







MS 40 0x40 MC



MS 30 0x30



MS 40 0x30 PF




MS 40 MS 40
MS 40 H

MS 40



/

	 m	Art.-Nr.		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 F kN	
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										
MS 40 										

MS 40 MS 40
MS 40 U


MS 40










/

	 m	Art-Nr		 A cm ²	 I _x cm ⁴	 I _y cm ⁴	 W _x cm ³	 W _y cm ³	 KN	
MS 40 										
MS 40 										
MS 40 										

MS 40 MS 40
MS 40 MS 40



MS 40
MS 50



A
B
C
D
E
F
G
H
I
J

MS 40 MS 40
MS 40 MS 40

							
MS 40			A				
MS 40			B				
MS 40			F				
MS 40			A				
MS 40			A				
MS 40			A				
MS 40			A				
MS 40			A				
MS 40			G				
MS 40			H				
MS 40			B				
MS 40			B				
MS 40			B				
MS 40			D				
MS 40			C				
MS 40			C				

MS 40 MS 40
MS 40 MS 40

							
							
MS 40			A				
MS 40			A				
MS 40			B				
MS 40			B				
MS 40			C				
MS 40			C				
MS 40			C				
MS 40			E				
MS 40			C				

MS 40MS 40

MS 40MS 40

							
MS 40			①				
			①				
MS 40			②				

MS 40 MS 40
MS 40

MS 40



=

MS 40 BC

MS 40

=

MS 40

-

-

MS 40

=




MS 40






MS 40






=





MS 40


MS 40












		 mm	 mm
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			
MS 40			


DIN ISO










Toleranzklasse		Grenzabmaße für Nennmaßbereiche in mm			
Kurzzeichen	Benennung	$\begin{matrix} > 120 \\ \leq 400 \end{matrix}$	$\begin{matrix} > 400 \\ \leq 1000 \end{matrix}$	$\begin{matrix} > 1000 \\ \leq 2000 \end{matrix}$	$\begin{matrix} > 2000 \\ \leq 4000 \end{matrix}$



Toleranzklasse		Grenzabmaße für Längenbereiche in mm	
Kurzzeichen	Benennung	$\begin{matrix} > 120 \\ \leq 400 \end{matrix}$	$\begin{matrix} > 400 \end{matrix}$



	 m	Art.-Nr.		 cm ²	 cm ⁴	 cm ⁴	 cm ³	 cm ³	 kN	
										
										
										
										
										
MS 40 										
MS 40 										

MS 40
MS 50











- A** MS 40 -
- B** MS 40 - / /
- C** MS 40 - / /
- D** MS 40
MS 40
MS 40 -
MS 40




		ATTENTION			
	A				
	B				
	C				
	D				




	 m	Art-Nr			A cm ²
					
					
					
					
					
					

MS 40
MS 50






MS 40
MS 50





- A
- B
- C
- D




		Art.-Nr.				
	A					
	B					
	C					
	D					

MS 40 MS 40
MS 40

MS 40



MS 40
MS 50





A
B


		Art.-Nr.			
	A				
	B				

MS 40 • MS 40
MS 40 •

MS 40



MS 40
MS 50






1

2

		Art.-Nr.			
	- 3	650 043.97	x	PP PP	
	4 - 5	650 042.97	x	PP	

MS 40 MS 40
MS 40

MS 40





MS 40
MS 50

	Art.-Nr.			


MS 40

MS 40

MS 40



MS 40
MS 50



	Art-Nr			