












kg


kg

kg





mm
mm



mm mm

mm mm mm mm


mm mm mm mm



MS 40

MS 40

kg





MS 40

MS 40



kg


kg



product
design
award

2009

MS 40





kg
MS 40 B -


kg
MS 40 B -

MS 40 B -


kg
MS 40 B -




A / / / /
B MS 40 - MS 40 - MS 40 -
I




			Art-Nr				
	A						
MS 40 B - MS 40 B - MS 40 B - MS 40 B -	B				EN AW-6063 T66		





kg




kg


kg






MS 40




kg



			Art.-Nr.			
	A					
	B					






mm

MS 40

kg

MS 40



mm


MS 40

kg



mm

MS 40





kg




MS 40




			Art.-Nr.			
	A					
	B					






kg





kg





kg




MS 40



			Art.-Nr.			
	A					
	B					









MS 40


kg

kg




kg

kg




		LS	RS		Art-Nr			
	A							
	B							






MS 40

kg

kg





kg



kg


			Art-Nr			
	A					



MS 40

kg

kg





1


2

3

kg




				Art-Nr			
	A						
	B						



1

2

3



kg




MS 40

kg





kg




kg

			Art.-Nr.			
	A					
	G					



- A
- B
- C
- D
- E
- F
- G
- 1



EN

EN

EN

EN

/

mm /

/

EN

EN

EN


EN

/

mm /

/


mm /



MS 40



kg

kg



kg

			Art.-Nr.			
	A					
	D					




A
B
C

D

1

2



1

2

EN

EN

EN

EN

EN

EN

EN


EN

EN

EN

EN


EN






MS 40

kg

kg



kg



		LS	RS		Art.-Nr.			
	A							
	B							
	A							
	B							







MS 40


kg

kg

kg




			Art.-Nr.			
		A				






MS 40

kg

kg





kg



			Art.-Nr.			
		A				




MS 40



		Art-Nr			
mm	A				
	B				




MS 40



A
B


C



		At-ENr			
A B C					




MS 40



A
B


C



		Art.-Nr.			
A B C					




MS 40




A
B



C





		Art.-Nr.			
		A			
		B			
		C			





MS 40




		Art.-Nr.			
	A				
	B				
	C				




MS 40




		Art.-Nr.			
	A				
	B				
	C				



MS 40



- A
- B
- C



		 mm	Art-Nr			
	A					
	B					
	C					